







EAE KNX Hotel-GRMS Solution provides maximum benefit and the best possible experience for users with a distinguished, elegant and modern design.

EAE's Hotel-GRMS Solution aims maximum safety for guests and investors, as well as provides saving energy thanks to the smart management of lighting, heating and cooling systems.

Products are based on the worldwide KNX standard and enable the system to be expanded with other KNX manufactured products.



EAE group of companies have over 2,500 employees worldwide and EAE products are used in more than 100 countries. EAE Group has over 30 patents, 300 brands and 100 industrial designs.



As EAE Technology, we provide innovative and value-added solutions for KNX applications. All our products are designed, developed, manufactured and tested in our headquarters in Istanbul, Turkey. EAE Technology products are in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.

EAE Technology is a member of KNX Association and an authorized KNX training center since 2012.





EAE Hotel GRMS Solutions

All you need is EAE...

Every detail in a hotel should match the guest's expectations. The main purpose of EAE Hotel solution is to create a solution that meets all needs with comfort, aesthetics and elegance.

EAE Hotel Solution offers a complete view in a hotel for guests and staff with its technological, aesthetic



- OND MUR
- Card Holder
- Switch
- Thermostat
- Bedside Panels
- Welcome Panels





Comfort

Your guests will get used to comfort with scenarios that make life easier (such as sleep, movie, comfort mode).

- Lighting control
- Scene control
- Heating / cooling unit control

- Shutter / blind control
- Speaker control
- Easy communication with reception



Design

Combines elegance and aesthetics with user-friendly design.

- Aesthetic
- Initiative



Flexibility

Solutions can be developed according to your requests.

- %100 Configurable touch pads
- Different useage options to save energy




Integrations

- BMS Integration
- PMS Integration
- Door Lock System Integration

Integration into BMS Systems

The following platforms are easily integrated with EAE's KNX systems.

- BACnet
- Modbus
- · OPC
- LonWorks
- M-Bus





Integration into PMS Systems

The following platforms are easily integrated with EAE's GRMS systems.

- · Fidelio
- · Opera
- · OnQ
- Micros
- · Many others...

Integration with Door Lock Systems

It provides the integration of all physical security needs into an energy efficient and easy to manage system.





All you need is EAE...



Mona consist of user friendly elegant glass design.

It is suitable to be a part of your design with various color options.



Switches •···



You can reach all scenario types. from a single point with user-friendly usage. Various switch alternatives from 1 button to 12 buttons.



DND MUR

MONA DND MUR information display, where you can easily see whether your guests are in the room, consists of a 100% glass touch screen and includes room number, hotel logo, Laundry, DND, MUR and doorbell buttons.









The Mona series DND MUR display, where you can easily see whether your guests are in the room, consists of a glass touch screen and includes room number, hotel logo, Laundry, DND, MUR indicators and doorbell button.



Touch operated



Glass surface



Frameless, minimalist design



RGB LED option






Icon options




Various color option



IP65 option









Bedside Panel

Mona Serie offers %100 customizable, unique panels. You can create your own bedside panel through the configurator.



Touch operated



Glass surface



Switch and Socket together



Frameless, minimalist design



RGB LED option



Up to more than 5 combined monoblock modules



Icon options



Away, comfort, night and protection modes




Independent programmable buttons



Various color option



Hundreds of different combinations.

















All the socket options you need in one.







Welcome Pane

When entering or leaving your room, desired scenarios can be realized with a single touch, and you can experience safety and comfort together thanks to the RF-ID card holder you use at the entrances.

You can combine switches and thermostats with your energy saver. Guests will control many things through one single monoblock panel.



Touch operated



Glass surface



Switch and Card Holder together



Frameless, minimalist design



RGB LED option



Icon options



Away, comfort, night and protection modes



Independent programmable buttons



Various color option



Different combination options











hermostats

Mona thermostats continue to add value to your space with frameless design. Mona offers a unique user experience and intuitive operation with its touch operated design and minimalist icons.

Thermostats can be combined with switches and sockets as monoblock panels.



Touch operated



Glass surface



Switch and Card Holder together



Frameless, minimalist design



RGB LED option



Icon options



Away, comfort, night and protection modes



Independent programmable buttons



Various color option




Combination with switches, card holders and sockets











Switches

Mona switches continue to add value to your space with frameless design. Mona offers a unique user experience and intuitive operation with its touch design and minimalist icons.

There are hundreds of combination options with thermostats, switches and sockets..



Touch operated



Glass surface



Switch and Card Holder together



Frameless, minimalist design



RGB LED option



Icon options



Independent programmable buttons



Various color option



Combination with switches, card holders and sockets













The Mona serie offers glass surface, minimalist design, wide collection up to 5 gang, wide range of colors.

BS standard, European standard and Modular standard sockets are compatible with Mona series.

MODULAR EUROPEAN SOCKETS



EUROPEAN SOCKETS



MODULAR BRITISH SOCKETS



BRITISH SOCKETS



MODULAR ITALIAN SOCKETS





Multistandard Power Socket



2P+E - 13 A/250V ac - 15 A/127V ac

German Standard Power Socket



2P+E-16A-250V ac

SAT TV

SAT

TV

Buttons

1M-1P-NO+NO-10 A With interlock

Push



Data

Socket



Telephone

supply

USB power



Double RCA

Grounded Power Socket



2P+E - 13 A/250V ac - 15 A/127V ac

UPS Power Socket



2P+E - 13 A/250V ac - 15 A/127V ac

Child Proof

0 db



2P+E - 13 A/250V ac - 15 A/127V ac



Telephone Socket



Double RJ11

Telephone Socket



RJ11

Push

Buttons

Data Socket



RJ45

SAT



USB

British Standard Power Socket



2P+E-13A-250V ac



2P+E-15A-250V ac

SAT TV



0 db





TV







Data

Socket



Telephone

RJ11



USB power

Double USB power supply



Double RCA

Audio

Switched



2P+E-13 A-250 V ac

Switched



2P+E-13 A-250 V ac Backlit

Switched



2P+E-13 A-250 V ac with USB

Switched

2P+E-13 A-250 V ac Twin

Switched



2P+E-13 A-250 V ac Twin - Backlit



Switched

2P+E-13 A-250 V ac Twin - with USB

USB

Italian Standard Power Socket



2x2P+E-16A-250V ac



2P+E-10A-250V ac 2P+E-16A-250V ac



0 db

SAT TV





1M-1P-NO+NO-10 A With interlock

Push





Data



supply

USB power





Audio



Product Family (Some combination options)

DND MUR



Card Holder



Switch & Card Holder



Switch



Switch & Socket



Switch & Sockets



Thermostat



Thermostat & Switch



Thermostat & Switch & Socket



Variations

Switches

























Thermostats













Card Holders















Technical Specifications







KNX Thermostat Side (up to 6 buttons)

- Temperature adjustment on display
- Integrated temperature sensor (°C/°F)
- Fan speed adjustment (1, 2, 3, Auto)
- Different operation modes (Comfort, Night, Away, Protection)
- Fully automatic function mode (Heat Cool transition)
- Control flexibility for all HVAC units including VRF-VRV and AC
- PI proportional, PI PWM, Hysteresis, Fan coil, Split unit controls

KNX Switch Side (up to 12 buttons)


Independent configuration for each button

- Switching
- Dimming
- Blind Control
- Value Transmitting
- · Scene Control

KNX Card Holder Side (up to 6 buttons)


- · Compatible with Mifare 13.56 MHz card
- Contactless reading for RFID Card information.
- · Avoids mechanical wear and card deformation.
- Detection distance up to 50 mm

Dimensions (mm)	а	b	h
Single	90	12	100
Binary	161	12	100
Triple	232	12	100
Quadruple	303	12	100
Quintet	374	12	100



Protection type	IP 20	EN 60529
Safety class	II	EN 61140
Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line
	Supply voltage	<<20 mA total
Temperature	Operating	-5° C + 45° C
	Storage	-25° C + 55° C
CE	In accordance with EMC guideline and low voltage regulation	

Product Code Legend



Note: Please contact our technical unit for details. (eaetechnology.salessupport@eaegroup.com) The sockets should be at the beginning or end of the monoblock frame, if you are combining switches or thermostat with sockets. Module or core quantity must be specified at the end of the code.

Example Order Code

FRAME EUROPEAN	MN-W-S05T02FE1
FRAME MODULAR EUROPEAN	MN-B-S03FME2X2M
FRAME MODULAR ITALIAN	MN-W-T02S03FMI2
FRAME MODULAR BRITISH	MN-B-S03FMB2
FRAME BRITISH	MN-W-CH03FB1























ON/OFF

CEILING LIGHT CEILING LIGHT CEILING LIGHT ON

OFF

DIM UP

DIM DOWN

LAMPSHADE LIGHT

BEDSIDE LAMP

STANDING LAMP

COVE LIGHT

BATHROOM LIGHT










SPOT

LIGHT



LIGHT











VOLUME

UP

MIRROR LIGHT







LIGHT















DOWN



BLIND





MAKE UP ROOM







LIGHT



ROOM LIGHT

SLEEP **SCENE**









AWAY

SCENE



NIGHT

LIGHT





FAN













SCENE



CONTROL





LIGHT

PERIMETER

LIGHT



WASH

BASIN





SPOT

LIGHT







COMFORT

CORRIDOR WASH



ROOM

SUMMER

MODE



COMFORT





... others on request

Black Glass



White Glass



Hundreds of RAL surface colors...



1G103 KNX Modbus Gateway



General Specifications


- EAE KMG103 can be used to control and monitor KNX installations via SCADA visualization software.
- IP address of device can be given by DHCP server or by manual configuration.
- EAE KMG103 includes patent-pending logic controller that enables room energy saver system without using card holder.
- Device has 3 physical inputs for door, window and presence sensing.
- EAE KMG103 has built-in 320mA or 640 mA KNX bus power supply for KNX devices. (110V, 220V AC are available)
- KNX Power supply output is short-circuit and overload protected.
- · Power, overload and reset statuses are indicated with three different LED indicators.
- Power supply can be restarted by pressing reset button on the device.

Technical Information


Type of Protection	IP20	EN 60 529
Safety Class	II	EN 61 140
Insulation Category	Over voltage category Pollution Degree	III EN 60 664 - 1 2 EN 60 664 - 1
Main Supply	Input Voltage Power consumption	150-275V AC, 50-60Hz 7W
Output	KNX Bus	30 VDC +1 / -2V, SELV (Integrated choke) 640mA
Connection	IP Line KNX Line	RJ45 socket for 10/100BaseT, IEEE 802.3 networks Bus Connection Terminal
Display Elements	ETH Link ETH Act LED for programming mode	Satatus Fault
Operating Elements	Function button, Programming button	
Installation	35mm DIN rail mount	EN 60 715 TH 35-75
Temperature Range	Operation Storage	-5°C + 45°C non-condensing -20°C + 60°C
Humidity		5% to 93% no maisture condensation
Dimensions	HxWxD	90mm x W x 70mm
Weight	66g	
Вох	Plastic PA66 housing gry	
CE	in accordance with EMC and low voltage guidelines Device complies with, EN 50090-2-2, IEC 60664-1	

16103 KNX Modbus Gateway

GRMS Solution without using Card Holder



GRMS Solution with using Card Holder



KMG103 KNX Modbus Gateway

KNX/Modbus Gateway Logic Function and Scenes

Pre - Welcome Scene

As soon as the guest enters the room, the desired lighting will turn on in pre-welcome scenario.



Welcome Scene

The use of lighting, HVAC, shading, sockets in the room is permitted as long as guests are in the room during welcome scenario.

Leave Scene

When guest left from the room, the leave scenario is activated at the end of the defined period

All lighting, sockets and air conditioning will be switched off.

If desired, the air conditioning state can be set to desired set temperature or mode state





Check in / Out Scene

After guests' check-in / out actions, desired scenarios can be activated with the integration of GRMS software and hotel PMS.





With Miola Panel, you can easily control your home!

You will be able to receive all the notifications you specify and want to receive from the mobile application, and you will be able to easily learn all the details you follow with the push-notification feature.



«ros quetal

Thermostat









Switch









«rosquetus

Thermostat











Switch



























Thermostat and switch together



Various color option



Touch operated



4mm tempered glass or aluminium surface



Frameless, minimalist design



Independent, programmable buttons



Icon options



Navigation LEDs



Feedback LEDs



Additional heating-cooling control



Away, comfort, night and protection modes



Fully automatic heating-cooling transition



Thermostat

All devices in your home are under your control with Oria thermostats.











Switch

Experience life of comfort with Oria switches.

















Socket

Moduler Standart

1M Data and Blanking Module - Natural











4M Universal Socket + SAT/TV - Gold







British Standart

1 Gang Socket - Bronze







1 Gang Soket - Light Grey

European Standart

Quadruple Frame Pearl White



2M Mustang Gray



Quintet Socket+DATA+Socket+Sat - Black Glass



Certificates

EAE Technology products are and will always be in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.



KNX is the worldwide standard for home and building control. KNX offers at the same time the reliability of a consolidated system, market leader for over twenty years. (470 KNX Members, 8000 Products, 470 KNX Training Centers, 83000 KNX Partners, 190 Countries)



DALI (Digital Addressable Lighting Interface) is a protocol for digital lighting control that enables the easy installation of robust, scalable and flexible lighting networks.



EU rules restricting the use of hazardous substances in electrical and electronic equipment to protect the environment and public health.



This standard is based on a number of quality management principles including a strong customer focus, the motivation and implication of top management, the process approach and continual improvement. These principles are explained in more detail in ISO's quality management principles.



The EAC certifications are issued by independent EAC certification bodies and their laboratories accredited by the relevant agencies of the five members of the EAC Economic Union: Russia, Belarus, Kazakhstan, Armenia and Kyrgyzstan.







RCU FAMILY

EAE KNX - ROOM CONTROL UNITS



PD100 / MD100 / HD100 / CD100

EAE KNX - SENSOR



KMG103

EAE KNX - KNX Modbus Gateway



FCA100

EAE KNX - FANCOIL ACTUATOR



UD104 / UD106

EAE KNX - UNIVERSAL DIMMER



SD110

EAE KNX - 1-10V DIM ACTUATOR



DA100 / DA110

EAE KNX - DALI GATEWAY



SW108 / SW104

EAE KNX - RELAY MODULE



PSU320 / PSU640 EAE KNX - POWER SUPPLY 320mA/640mA



MIO1616

EAE KNX - MULTI INPUT OUTPUT



IPR100 / IPI100

EAE KNX - IP ROUTER -



LC100

EAE KNX - LINE COUPLER



UI108

EAE KNX - UNIVERSAL INTERFACE



HOTEL GRMS DEMO CASE



MONA DEMO BOX



ROSA DEMO BOX



ROSA DEMO CASE









Xarriott AUTOGRAPH COLLECTION' **AUTOGRAPH COLLECTION**

Istanbul

MARRIOTT



Marriott

MARRIOTT SIRKECI HOTEL İstanbul



M PHASELIS/BAY

NG PHASELIS BAY HOTEL Antalya



MILLENNIUM

MILLENIUM WEST HOTEL Istanbul





THE OBA HOTEL Bodrum





RADISSON HOTEL Izmir





RADISSON BLUE HOTEL India





MABIN HURA MALDIVES Maldives



GURDAL HOTEL Istanbul





GRAND HOTEL Niger



TFF Türkiye Futbol Federasyona Turkish Foodball Federation

TFF RIVA HOTEL Istanbul



NAU HOTEL Portugal



GRAND GALATA THOTEL

GRAND GALATA HOTEL Istanbul





KARAVANSARAY COMPLEX STAR CITY HOTEL Kazakhistan





Greece





RIXOS PREMIUM BODRUM Mugla





RIXOS PREMIUM DUBAI UAE



DOUBLETREE

HILTON SIRKECI HOTEL Istanbul



VASQ HOTEL Mauritania





CIELO HOTEL Qatar



BENIN SOFITEL HOTEL

Benin



MÖVENPICK HOTEL & APARTMENTS

MÖVENPICK HOTEL UAE





SHERATON HOTEL Senegal



Retana

ROTANA HOTEL UAE





EMILY RESORT Lviv





OYAK DRAGOS Istanbul



CONDOR HOTEL Romania



RAZELM RESORT Romania





PEARL MARRAKECH HOTEL PESTANA HOTEL Marrakech





Casablanca




BRICK POINT HOTEL Nigeria





INEMARE Kirklareli











FOLKART BOYALIK



BODRUM NEF GOLKOY Bodrum



ALTOWER

ALTOWER Istanbul





MESA CUBUKLU 28 Istanbul



VADIKORU RESIDENCE Istanbul





ROUTE ISTANBUL Istanbul





CENTRAL BALAT RESI-DENCE Bursa



BONNEVILLE MIHRAPLI Bursa



BRODSKY







GAYDA ATASEHIR Izmir





BALANCE GUNESLI Istanbul



Mimaroba

DIA BELLA Istanbul





MOTTO TERRACE GARDEN Konya





Canakkale





IS CADDE GYO Istanbul





ST REGIS RESIDENCE Oman





CLOUD NINE Russia



mesa orman

MESA ORMAN II Istanbul



mesa ÇENGELKÖY

MESA CENGELKOY Istanbul



COUNTRY SUIT Gaziantep



SPC BUILD Sapanca



PANORAMA PARK PANORAMA





COS ALACATI Izmir



ALİ KEMAL GÜRDAL

ALI KEMAL GURDAL Antalya



PUKKA BODRUM Mugla



PUKKA MARE/NETA Mugla



NAMET BEYLERBEYI Istanbul



TREEHOME RESIDENCE Sanliurfa



KECIOREN APARTMENTS Ankara



FERA MOGAN

PERA MOGAN

Ankara



MERYAKA RESIDENCE Konya



FLORYA MAX ROYAL Adana





DR. LUTFI KIRDAR KARTAL TRAINING AND RESEARCH HOSPITAL Istanbul





KOCAELI CITY HOSPITAL Kocaeli



IZMIR CITY HOSPITAL Izmir







GIRESUN CITY HOSPITAL Giresun



TEKIRDAG CITY HOSPITAL

Tekirdag



SIVAS SAMPLE HOSPITAL



MAMAK HOSPITAL Ankara





KONYA SAMPLE HOSPITAL Konya



TARSUS PUBLIC HOSPITAL Mersin



HATAY DORTYOL HOSPITAL







AGRI PUBLIC HOSPITAL Agri



TAKSIM FIRST AID **HOSPITAL** Istanbul



MEDICANA\\

MEDICANA HOSPITAL Izmir







ACIBADEM

ACIBADEM ATASEHIR HOSPITAL AND HEADQUARTERS BUILDING Istanbul











ACIBADEM ADANA HOSPITAL ABDI IBRAHIM Adana



MEDICINE FACTORY



EAE ELECTRIC CABLE **EAE ELECTRIC BUSBAR FACTORY DUCT FACTORY** Kocaeli Kocaeli





EAE LIGHTING FACTORY











FORD V710 - SPECIAL VEHICLE AREA Istanbul



Istanbul



TOFAS BODY LINE FACTORY NIZIP PUBLIC HOSPITAL Gaziantep



BILECIK BOZOYUK PUBLIC HOSPITAL Bilecik





Malatya









METRO ISTANBUL





OYAK PORT PORT Kocaeli

ALSANCAK STADIUM Izmir

DUDULLU BOSTANCI SUBWAY LINE Istanbul

AYDINLI **AYDINLI GROUP**

YILDIZ PUL FACTORY Konya

Istanbul





ISTANBUL FINANCIAL CENTER BDDK BUILDING













ISTANBUL FINANCIAL CENTER HALK BANK GYO Istanbul



ISTANBUL FINANCIAL **CENTER 1-13 RECREATION** Istanbul



ISTANBUL FINANCIAL CENTER SPECIAL PROJECT AREA Istanbul



ISTANBUL FINANCIAL CENTER SIGORTA A.S.



BORSA ISTANBUL Istanbul





7th MAIN JET BASE COMMAND Malatya



TURKISH AIRLINES

THY SIMULATION BUILDING Istanbul





ORD. PROF. DR. SULHI DON-MEZER EDUCATION CENTER

















SOCIAL SECURITY CORPORATE BUILDING Kayseri







DEDAŞ DICLE ELECTRIC A.S. Diyarbakir





DISASTER and EMERGENCY MANAGEMENT CENTER Erzincan



DISASTER and EMERGENCY MANAGEMENT CENTER Kahramanmaras





ATATURK CULTURAL **CENTER** Istanbul









Kalyon



HAVELSAN HAVELSAN CENTRAL

BUILDING

Ankara



Ankara



TURKCELL DATA CENTER KALYON HOLDING Ankara- Corlu-Gebze **GENERAL CENTER**



YDA BUSINESS CENTER Ankara













LIBRARY OF NATIONAL DEFENCE UNIVERSITY



WAR VETERANS REHABILITION CENTER Ankara



DSI ADMINISTRATIVE BUILDING



BEYKOZ NUN SCHOOLS Istanbul











OZYEGIN UNIVERSITY





NESIBE AYDIN EDUCATIONAL INSTUTIONS Istanbul Ankara















PRESIDENCY SYMPHONY ORCHESTRA Ankara















PRESIDENCY OF TURKEY

COMMUNICATION

Ankara

Antalya

EmlakKatılım

BURSA REGIONAL COURT OF JUSTICE Bursa









SUPREME ELECTION **BOARD BUILDING** Ankara











ALANYA COURTHOUSE

Antalya



ANTALYA CENTRAL BANK

ERDEMLI COURTHOUSE

Mersin

ADIYAMAN GOVERMENT **HOUSE** Adiyaman

SIVAS GOVERNORSHIP Sivas















ÇANAKKALE

BELEDIYESI



DULKADIROGLU MUNICIPALITY BUILDING BUILDING Kahramanmaras



GUNGOREN MUNICIPALITY



BAGCILAR MUNICIPALITY BUILDING









ISTANBUL AIRPORT **TURKISH AIRLINES BUILDINGS** Istanbul





RIZE-ARTVIN AIRPORT Rize-Artvin





CBI BANK

UAF

Izmir









PARLIAMENT BUILDING Uzbekistan



30th YEAR MONUMENT

Uzbekistan



KOCTAS STORES IN TURKEY Turkey

LC Walkiki













BORSA







ISTANBUL **BORSA ISTANBUL DATA CENTER**

ANDAC AUTOMOTIVE

aselsan ASELSAN GOLBASI & AKYURT **NURSERY BUILDINGS** Ankara

teknopark istanbul **TECHNOPARK 3rd STAGE B BLOCK**

teknopark istanbul TECHNOPARK A BLOCK Istanbul















TOKAT AIRPORT Tokat



SENEGAL TURKISH EMBASSY BUILDING Africa



HADIMKOY PEOPLE BREAD Istanbul



NOKIA OFFICE Istanbul



SENEGAL STADYUMU Senegal



TÜRKİYE CUMHURİYET GENÇLİK VE SPOR BAKANLIĞI

ERYAMAN STADIUM Ankara



TÜRKİYE CUMHURİYET GENÇLİK VE SPOR BAKANLIĞI

CEMAL KAMACI SPORT COMPLEX Istanbul



top interieur

TOP INTERIEUR FURNITURE Belgium



PHILIP MORRIS PHILIP MORRIS FACTORY Kazakhistan



Kalyon

KALYON SOLAR **TECHNOLOGIES FACTORY** Ankara







TEKFEN HOLDING

ARCHIVE BUILDING Adana







Kazakhistan



NAZARBAYEV CENTRE Kazakhistan



Türk Traktör

TURK TRACTOR Sakarya - Ankara





UNIPRES UK



SERRUK

KUTAHYA CERAMIC Kutahya



BSH Cerkezkoy



BAKÜ TOWER 109

Azerbaijan





KORDSA FACTORY Kocaeli





RONESANS HILLTOWN AVM Izmir















VEGA MALL SUBAYEVLERI

Ankara

nevçarşı **NEV CARSI USKUDAR**

Istanbul



MILAHA LOGISTIC **TEI MOTORS** Eskisehir Qatar



















CAYKUR CAYKUR RIZE FACTORY

GENERAL DIRECTORATE OF HIGHWAYS BUILDING Ankara



ANKARA IS GYO TOWER Ankara

REPKON FACTORY Istanbul

Rize













Aksaray

TURK TELEKOM BUILDING Istanbul-Umraniye

Türk Telekom



ZIRAAT BANK DATA CENTER Istanbul



SISECAM FACTORY Eskisehir-Ankara



HAS ÇELİK FACTORY Kayseri





The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology assumes no responsibility for any errors that may appear in this document.

2021 © EAE Technology All rights reserved





Ikitelli Organize Sanayi Bölgesi Eski Turgut Ozal Caddesi No:20 Başaksehir / Istanbul - TURKEY Tel.: +90 212 413 21 00 (pbx) Fax: +90 212 549 37 90

www.eaetechnology.com







The information in this catalogue is subject to change without notice. Datasheet and user EAE Technology does not accept any responsibility for out-of-date information that may manuals should be consulted for the most accurate and up-to-date information. appear in this document, due to the catalog version number

2021 © EAE Technology - All rights reserved