



INDEX

Touch Panel	8
Topology	12
Products	14
Panel Devices	63
Certificates	64
References	65





EAE KNX Smart Home and Residential Solutions offers the best user experience with a wide range of products and customizable technological and stylish design of the products.

EAE's Smart Home and Residence solutions are remarkable for users and architects with a variety of materials and colors compatible with the interior, as well as providing ease of use.

Products are based on the worldwide KNX standard and enable the system to be expanded with other KNX manufactured products.



EAE group of companies have over 2,500 employees worldwide and EAE products are used in more than 100 countries. EAE Group has over 50 patents, 300 brands and 150 industrial designs.



As EAE Technology, we provide innovative and value-added solutions for KNX applications. All our products are designed, developed, manufactured and tested in our headquarters in Istanbul, Turkey. EAE Technology products are in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.

EAE Technology is a member of KNX Association and an authorized KNX training center since 2012.



TD4-KNX 4" Touch Display

The Pinnacle of Smart Control...

Step into the future of home automation with EAE Technology's KNX Touch Panel, where cutting-edge technology meets elegant design.
Crafted with a capacitive touch screen that responds to your lightest touch, the touch panel transforms the ordinary into the extraordinary, placing the power of control at your fingertips.





Capacitive Touch Screen



All In One Control



4 Zone Thermostat Control



Tunable White



Built-in Temperature Sensor



Proximity Sensor



RGB Control



Audio Control



Touch Vibration Feedback



 $\hbox{Humidity and CO$_{\tiny 2}$ Display}$



Air Quality Display



Energy Metering Display



RGB Navigation LED Bar



Configuration by ETS



TD4 Touch Panel Technical Specifications

Bus supply	Bus voltage	21V-30V DC, via the KNX bus	
	Bus current	<4.5mA/24V DC, <4mA/30V DC	
	Bus consumption	<120mW	
Auxiliary supply	Voltage	24-30V DC	
	Current	<86mA/24V DC, <71mA/30V DC	
	Consumption	<2.2W	
Connections	KNX	Bus connection terminal	
	Auxiliary supply	KNX auxiliary connection terminal	
Installation	80mm or 86mm wiring box		
Temperation	Operation	-5 °C + 45 °C	
	Storage	-25 °C + 55 °C	
Proximity Sensor	Standard 15cm, Enhance 30cm		
Dimension	86x101.3x10.5mm (32.2mm)		
Weight	0.2kg		

Product Color Black White



All in one control

Thermostat Control

Switching

Dimming


Curtain Control

Scene

Value Sending

Switching Indication







EAE

- 1 Touch and display area
- 2 Proximity sensor
- 3 Colorful Strip LED bar
- 4 Auxiliary supply connection terminal
- 5 SD Card slot
- 6 KNX Bus connection terminal
- 7 Built-in temperature sensor



Capacivitive touch screen

Effortless control at your fingertips. Responsive, intuitive and designed for modern living.

Internal temperature sensor

Your comfort is ensured with the built-in temperature sensor.



4 Zone thermostat control

Keep your living environment in perfect harmony by creating different climates in every corner with 4-Zone Thermostat Control.



When you approach, the proximity sensor gently wakes the panel and makes it ready for use.



RGB control

Feel how the environment changes with Lighting RGB Control-whether RGB, RGBW, or RGBCW, you have complete control over color and temperature.





Adjustable white light control

It perfects your living environment, switching from warm light to cold light and vice versa.

Touch vibration back notice

Enjoy tactile elegance... A subtle reminder that you're in control.



Energy measurement monitoring screen

It helps you live a smart and sustainable life...

Air quality, humidity and **CO2** level monitoring screen

Displays humidity and CO2 levels to keep your air clean and fresh.





With ETS configuration

You do not need to use an external panel configurator.







Miola Touch Panel Technical Specifications

SCREEN SIZE	7" MIOLA KNX-TP	10.1" MIOLA KNX-TP
CPU	PX30 Chipset	PX30 Chipset
Memory	1GB	1GB
Hard Disk	8GB EMMC	8GB EMMC
Operating System	Android 8.0	Android 8.0
Power	12-30 VDC	12-30 VDC
Resolution	600x1024px	1280x800px
Touch Panel	Project Capacitive Touch	Project Capacitive Touch
Microphone	1 with Echo Cancellation	1 with Echo Cancellation
Speaker	1x8 Ohm - 2 Watts	1x8 Ohm - 2 Watts
Input	5 Digital Inputs	5 Digital Inputs
KNX Bus Connection	KNX - TP	KNX - TP
LAN	2	2
Dual Network Connectivy	Yes	Yes
Drivers	EAEOS Operating System Drivers	EAEOS Operating System Drivers
Max Accessory Limit	254	254
Max Room Limit	254	254
Intercom Standart	SIP 2.0	SIP 2.0
Onwall Dimensions	140 x 235 x 4 mm	264 x 208 x 4 mm

* Isolated high voltage and current protection









Cloud Server



Intercom



Mobile Integration



Heating-Cooling

כוסדכחם 🖣 COi



Lighting-Shutter/Blind



Schedule, Scenes

Cloud Server

Thanks to peer to peer connection, SIP calls are made directly between devices without the need for a SIP



Mobile Integration


Manage lighting, climate, blinds, alarms, intercom, with your mobile devices. You can do anything you do with touch panel with using your smartphone.




Intercom

You can use your Miola touch panel to communicate with outdoor intercom units and open apartment doors.



















Thermostats

Thermostat and switching control from one point with Rosa Thermostats.



Switches

Lighting, shutter/blind, scene call, speaker and DND/MUR control $\,$ with customizable Rosa keypads.



Sockets

Various color options in UK, EU and universal standards.



«rosa Thermostats

Elegant and Minimalist Design

Rosa thermostats are designed for the needs of modern buildings. Rosa's intuitive design allows all ages to control their living space easily. New generation frameless design fits arghitects' expectation and getting their compliments.



Touch operated



Brushed metal surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Short press



Long press







Icon options



Navigation LEDS



Feedback LEDS



Away, comfort, night and protection modes



Independent programmable buttons



Various color option



1 Fold - Natural

2 Fold - Gold

3 Fold -Anthracite


4 Fold - Bronze











«rosatal Thermostats

Elegant and Minimalist Design

The Rosa Crystal switch and thermostat series, which has the same features as the metal ones in technical terms, can also be adapted to different concept designs with glass surface option. Rosa Crystal can be colored according to the selected RAL code, adapts to the demands of the interior designers and fast changing trand.



Touch operated



4mm tempered glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Short Press



Long Press



Double Press



Tripple Press



Icon options



Navigation LEDs



Feedback LEDs



Comfort, night, protection and away modes



Independent, programmable buttons



Various color option





1 Fold - Black

1 Fold - White

3 Fold -Black


4 Fold - White













«rosa Thermostats

Elegant and Minimalist Design

Rosa Pictus metal thermostats, which technically have the same features as the Rosa Crystal series; It can be adapted to different concept designs with its brushless, painted surface option. 5 different color options offer users and interior designers a wide range of complementary products.



Touch operated



4mm tempered glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Short Press









Icon options



Navigation LEDs



Feedback LEDs



Comfort, night, protection and away modes



Independent, programmable buttons



Various color option



1 Fold - Bronz



1 Fold - Dark Gray



1 Fold - White




2 Fold - Black



2 Fold - Light Gray







Elegant and Minimalist Design

Rosa metal switches with 5 different color options add harmony and enrich to different designed homes, offices and hotel rooms. Rosa buttons can be configured independently and gives chance to users to control up tp 6 different objects.



Touch operated



Brushed metal surface



Frameless, minimalist design



Independent, programmable buttons



Short Press



Long Press



Double Press



Tripple Press



Icon options



Navigation LEDs




Feedback LEDs



Various color option



Temperature and humidity sensor options



2 Fold Metal Natural Switch

1 Fold - Anthracite

3 Fold - Bronze

4 Fold - Natural


5 Fold - Gold













Rosa Crystal touch switches which has the same features as the metal ones adorn hotel rooms, homes and commercial buildings with its unlimited color options and 4mm tempered glass surface. Users are just defining the RAL code for coloring up the device.



Touch operated



Brushed metal surface



Frameless, minimalist design



Independent, programmable buttons



Short Press



Long Press



Double Press



Tripple Press



Icon options



Navigation LEDs




Feedback LEDs



Various color option



Temperature and humidity sensor options



Single Fold - Black 1 Fold - White 4 Fold - Black 5 Fold - White



«rosquetus Switches



Elegant and Minimalist Design

Rosa Pictus metal keys perfectly match the expectations of interior designers with their 5 different color options and brushless metal surface. Optional temperature sensors on Rosa Switches can measure room temperature from different places.



Touch operated



Brushed metal surface



Frameless, minimalist design



Independent, programmable buttons



Short Press



Long Press



Double Press



Tripple Press



Icon options



Navigation LEDs




Feedback LEDs



Various color option




Temperature and humidity sensor options



2 Fold Pictus Koyu Gri Anahtar

2 Fold - White 2 Fold - Dark Gray 1 Fold - Bronze 4 Fold - Anthracite 5 Fold - Light Gray





Touch operated design...

Presicion detection for glass and metal surfaces.







Internal temperature sensor...

Anahtarlarda dahili sıcaklık sensörü opsiyoneldir.





Independet programble buttons ...

Each folds can be programmed as independent buttons.





All in one...

Rosa offer switching and thermostat function controls from one point.

- Lighting
- **HVAC Control**
- Shading
- DND / MUR
- Scene Call









Brushed metal surfaces...

Rosa brushed metal thermostats contain 4 different color alternatives as natural (silver), gold, bronze and anthracite





Unlimited color options...

All RAL codes can be applied







High quality raw materials...

7000 series aluminum is used for Rosa switch and thermostat.









Additional Heating and Cooling...

Rosa series has a built-in temperature sensor.


Rosa Thermostat has an automatic heating / cooling switching function. Additional heating / cooling units can be added to the system.



4mm tempered glass...

Conductive material coated glass surfaces are used for the Rosa Glass series.







Status LEDs...

You can control the status of lights, curtains/blinds and air conditioners in your living spaces with the status of LEDs.







Navigation LEDs...

Thanks to the navigation LEDs on Rosa, reach your thermostat and switch easily and safely in dark environments.



Customizable symbol options...

Rosa offers customized icon options with glass and brushed metal surface types.





Elegant and Minimalist Design

Rosa metal, crystal framed sockets are designed for 4 different standards.

- √ Universal Standard
- √ Modular Standard
- √ British Standard



Universal Standard

2M Socket - Natural



2M Socket - Bronze

3M Socket + Blanking Module -Natural




4M Socket - Gold









Modular Standard

1M Data and Blanking Module - Natural



2M USB + Data - Bronze



3M Shaver Socket-Natural



	а	h
1M	85	85
2M	85	85
3M	124	85
4M	144	85
6M	190	85



4M Universal Socket + SAT/TV - Gold



6M Socket + Socket + SAT + Blind Cover - Anthracite



Dimensions







British Standard

1 Gang Socket - Bronze



1 Gang Socket - Natural



1 Gang Liht Switch - Bronze





2 Gang Socket - Anthracite



2 Gang Socket+USB - Gold



European Standard

Single Data - Bronze



Double Socket + Phone - Gold



Triple Socket + TV - Natural



Quadruple Socket + Data + TV - Bronze



Dimensions	а	h	
Single	85	85	h a
Double	156	85	
Triple	227	85	
Quadruple	298	85	
Quintet	369	85	

Quintet Socket+DATA+Sat - Anthracite



Single Socket - Black Glass



Double Socket+TV/SAT - White Glass



Triple Socket+SAT+Socket - Black Glass



Quadruple Socket+Socket+TV/SAT - White Glass




	а	h	†
Single	85	85	h
Double	156	85	
Triple	227	85	a
Quadruple	298	85	
Quintet	369	85	

Quintet Socket+DATA+Socket+Sat - Black Glass



|≪rosa

THERMOSTAT and SWITCH ICON OPTIONS





















|≪rosa HERMOSTAT and SWITCH PRODUCT CODE LEGEND



Note: Icon grawing and front status options can not be applied at the same time on the same product.




I≪rosa

HERMOSTAT TECHNICAL SPECIFICATIONS




- Can be configured with ETS5.
- Serial thermostat with metal and glass touch-button
- Temperature control via digital LCD
- Internal temperature sensor (°C/°F)
- Adjustable fan speed (1, 2, 3, Automatic)
- Multiple operation modes (Comfort, Night, Outdoor, Indoor)
- Fully automated operation feature (hot-cold transition)
- Control of all HVAC units including VRF-VRV and air conditioning devices
- PI relative, PI on-off (PWM), On/Off, Fan coil, Split unit controls
- Easy installation to 60x60 mm standard switch junctions
- 2 dependent or 4 independent programmable buttons can be programmed for various functions.
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection Type	IP 20	EN 60529	
Safety Class	II	EN 61140	
Power Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line	
	Supply voltage	<10 mA	
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	In accordance with EMC guideline and low voltage regulation		




Dimensions (mm)	а	b	h
1 Fold Thermostat	85	11	85
2 Fold Thermostat	85	11	85
3 Fold Thermostat	85	11	114,60
4 Fold Thermostat	85	11	143,60

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least 120 mm from center to center.




|≪rosa

SWITCHES TECHNICAL SPECIFICATIONS




- Optional temperature and humidity sensor.
- Can be configured with ETS5.
- Serial switches with metal and glass touch-button
- Large collection option up to 5 Folds
- Product options with and without notification LED
- Optionally, icon branding is available.
- Different color options
- Easy installation to 60x60 mm standard switch junctions
- · Channels are identical, each with the following functions;
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,

Protection type	IP 20	EN 60529	
Safety class	II	EN 61140	
Power Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line	
	Supply voltage	<10 mA	
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	In accordance with EMC guideline and low voltage regulation		




Dimensions (mm)	а	b	h
Single Switch	85	11	85
1 Fold Switch	85	11	85
2 Fold Switch	85	11	85
3 Fold Switch	85	11	85
4 Fold Switch	85	11	114
5 Fold Switch	85	11	143

Assembly Detail




Important note!

The optimum distance between the two switches should be at least 120 mm from center to center.

















Thermostat

All devices in your home are under your control with Oria thermostats.





Switch


Control lights and blinds with a single press with Oria switches.

Receive temperature and humidity information via the switch, thanks to the optional temperature and humidity sensor



Socket

Socket group with eye catching design for perfect harmony.




A simple touch, unlimited comfort Thermostots

Expandable up to 4 folds, Oria thermostat provide a wide collection of possibilities for all spaces where both thermostats and programmable switches are needed at the same time.

Oria thermostats can perform all needed operations with a single touch. Programmable buttons on Oria thermostats can control comfort and energy saving needs such as lighting, shutter/blind, scene







2 Fold Anthracite



2 Fold Pearl White



2 Fold Mustang Gray




3 Fold Pearl White



4 Fold Antique Gray







A simple touch, unlimited comfort

Switches

The new generation Oria switches respond to unlimited needs with their design and provide a simple and elegant touch to people's abilities. A rich collection option that can be expanded up to 12 buttons with a single combination, and the ability to manage lighting, heating-cooling, curtain-blinds, speaker, stage call and panic button controls from a single point.







A simple touch, aesthetic integrity

Sockets

Oria sockets, as a complementary element of the new generation thermostat and switch series, will reflect integrity in your spaces.

TV/SAT Single Frame Antique



Data+Socket **Double Frame Pearl White**



Socket+TV/SAT **Tripple** Frame Anthracite



DATA+Socket+TV/SAT **Quadruple** Frame Pearl White



TV/SAT+Socket+Data+UPS **Quintet** Frame Mustang Gray



Socket + Socket + SAT + TV **6M** Frame Antique



Socket + SAT + TV **4M** Frame Anthracite



Socket + TV **3M** Frame Pearl White



SAT + TV **2M** Frame Mustang Gray




1M Frame Pearl White



Oria THERMOSTAT and SWITTCH ICON OPTIONS




○oria THERMOSTAT and SWITTCH ICON OPTIONS



Sample Order Code


INT-OT2-0101F0



together on the same product.

Sample Order Code

INT-OS2-0300F0







THERMOSTAT


TECHNICAL SPECIFICATIONS




- · Can be configured with ETS5.
- Serial thermostat with plastic push-button
- Temperature control via digital LCD
- Internal temperature sensor (°C/°F)
- · Adjustable fan speed (1, 2, 3, Automatic)
- Multiple operation modes (Comfort, Night, Outdoor, Indoor)
- Fully automated operation feature (hot-cold transition)
- Control of all HVAC units including VRF-VRV and air conditioning devices
- PI relative, PI on-off (PWM), On/Off, Fan coil, Split unit controls
- Easy installation to 60x60 mm standard switch junctions
- 2 dependent or 4 independent programmable buttons can be programmed for various functions.
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection Type	IP 20	EN 60529	
Safety Class	II	EN 61140	
Power Supply	Voltage Range	21-30V DC, feeding from EIB/KNX line	
	Supply Voltage	<10 mA	
Working LEDs	Programming LED for each fold	1 to 5 RGB LEDs for physical address identification	
Button Operation Life	100.000		
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	Compliant with EMC directives and low voltage requirements		
Case Type to be Used	Flush-mounted and surface-mounted cases with 60 mm between two mounting screws,		
	in compliance with European standard	ds	









4 Fold


Assembly Detail



Important Note!

The optimum distance between the two thermostats should be at least -120 mm- from center to center.






SWITCHT

TECHNICAL SPECIFICATIONS




- Internal temperature and humidity sensor option
- Configurable with ETS5
- · Plastic push-button serial switches
- · Wide collection options up to 6 Folds
- Product option with and without notification LED
- · Optionally, icon branding can be done.
- Temperature and humidity sensor options
- Different color options
- Easy installation on 60x60 mm standard switch junction boxes
- The channels are identical and each has the following functions;
 - Switching,
 - Dimming,
 - Curtain control,
 - Sending value and priority,
 - Stage Control,
 - Status notification LED

Protection Type	IP 20	EN 60529	
Safety Class	II	EN 61140	
Power Supply	Voltage Range	21-30V DC, feeding from EIB/KNX line	
	Supply Voltage	<10 mA	
Working LEDs	Programming LED for each fold	1 to 5 RGB LEDs for physical address identification	
Button Operation Life	100.000		
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	Compliant with EMC directives and low voltage requirements		
Case Type to be Used	Flush-mounted and surface-mounted cases with 60 mm between two mounting screws,		
	in compliance with European standards		




h Dimensions (mm) a Single Switch 9 90 90 90 1 Fold Switch 90 2 Fold Switch 90 90 9 90 3 Fold Switch 90 4 Fold Switch 90 90 5 Fold Switch 90 111,5 6 Fold Switch 90

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least -120 mm- from center to center.





Product Family

The Mona Series consists of a user-friendly, elegant frameless glass design and intuitive operation, with capacitive buttons trough minimalist icons.

With its touch operated design and minimalist icons, it is suitable to be a part of your living space with its various color options.



Optional built-in PIR Sensor



Optional FCU control



Touch operated



Glass surface



Switch and Card Holder



Frameless, minimalist design



RGB LED option



Icon option



Away, comfort, night and protection modes



Independent programmable buttons



Various color option

Switch



Thermostat





Long Press

Short Press



Double Press



Tripple Press


Switch & Thermostat






Variations

Switch





Sockets

The Mona serie offers glass surface, minimalist design, wide collection up to 5 gang, wide range of colors, wide range socket standart options like BS, European and Modular.





Technical Specifications



KNX Thermostat (Up to 6 buttons)


- · Optional FCU control
- · Optional PIR sensor
- Temperature adjustment via screen
- Integrated temperature sensor (°C/°F)
- Fan speed setting (1, 2, 3, Auto)
- Different operating modes (Comfort, Night, Out of Home, Protection)
- Fully automatic function mode (Hot Cold transition)
- Control flexibility for all HVAC units including VRF-VRV and AC
- PI proportional, PI PWM, Hysteresis, Fan coil, Split unit controls

KNX Switch (Up to 12 buttons)

Optional PIR sensor

Independent configuration for each button

- Switching
- Dimming
- · Shutter Control
- Value Transmission
- · Scenario Control



RCU FAMILY

EAE KNX - ROOM CONTOL UNITS



KMG103

EAE KNX - KNX Modbus Gateway



KMG103 - AAZS

EAE KNX - KNX Modbus Gateway with Doorlock integration



UD106

EAE KNX - UNIVERSAL DIMMER



SD110

EAE KNX - 1-10V DIM ACTUATOR



FCA100

EAE KNX - FANCOIL ACTUATOR



SW108 / SW104

EAE KNX - RELAY MODULE



PSU320 / PSU640

EAE KNX - POWER SUPPLY 320mA/640mA



MIO1616

EAE KNX - MULTI INPUT OUTPUT



DA100 / DA110

EAE KNX - DALI GATEWAY



UI108

EAE KNX - UNIVERSAL INTERFACE



ACGME100

MITSUBISHI AC GATEWAY



ACGDAI100

DAIKIN AC GATEWAY



IPR200 / IPI200 / IPR200S / IPI200S

EAE KNX - IP ROUTER - IP ROUTER SECURE

IP INTERFACE - IP INTERFACE SECURE



LC200 / LC200S

EAE KNX - LINE COUPLER -LINE COUPLER SECURE















HOTEL GRMS DEMO CASE



MONA DEMO CASE



ROSA DEMO CASE



ROSA DEMO CASE



Certificates

EAE Technology products are and will always be in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.



KNX is the worldwide standard for home and building control. KNX offers at the same time the reliability of a consolidated system, market leader for over twenty years. (470 KNX Members, 8000 Products, 470 KNX Training Centers, 83000 KNX Partners, 190 Countries)



DALI (Digital Addressable Lighting Interface) is a protocol for digital lighting control that enables the easy installation of robust, scalable and flexible lighting networks.



EU rules restricting the use of hazardous substances in electrical and electronic equipment to protect the environment and public health.



This standard is based on a number of quality management principles including a strong customer focus, the motivation and implication of top management, the process approach and continual improvement. These principles are explained in more detail in ISO's quality management principles.



The EAC certifications are issued by independent EAC certification bodies and their laboratories accredited by the relevant agencies of the five members of the EAC Economic Union: Russia, Belarus, Kazakhstan, Armenia and Kyrgyzstan.







SOME OF OUR REFERENCES

RESIDENTAL **REFERENCES**









MESA ORMAN II Istanbul



mesa ÇENGELKÖY

MESA CENGELKOY Istanbul





COUNTRY SUIT Gaziantep





SPC BUILD Sapanca





PARK PANORAMA Izmir





COS ALACATI Izmir





ALI KEMAL GURDAL Antalya





PUKKA BODRUM Mugla





NISH MERAM Konya





PERA MOGAN Ankara





MERYAKA RESIDENCE Konya



FLORYA MAX ROYAL Adana





NOA TERRACE RESIDANCE Izmir



NAMET BEYLERBEYI Istanbul



KECIOREN APARTMENTS Ankara

RESIDENTAL **REFERENCES**



FOLKART **VEG**

FOLKART VEGA İzmir





FOLKART BOYALIK Izmir



BODRUM NEF GOLKOY Bodrum



ALTOWER

ALTOWER Istanbul





MESA CUBUKLU 28 Istanbul



VADIKORU RESIDENCE Istanbul









CENTRAL BALAT RESIDENCE Bursa



BONNEVILLE MIHRAPLI Bursa



BRODSKY



Russia





CADDE MASLAK

Konya





ROUTE ISTANBUL Istanbul



COUNTRY SUIT

Gaziantep



MOTTO TERRACE GARDEN Konya



SAKLIBAHÇE SAKLIBAHCE CAMLICA Istanbul



HESSAH AL MUBARAK Kuwait

RESIDENTAL **REFERENCES**







Mona

MONA 94 Istanbul



ALPER INŞAAT

ARYA DELUXE Gaziantep



FARAZGRUP

NISH GUMUSLUK Bodrum



ROSARANDA

RISING ROSARANDA **CESME** Izmir



MARITZA RESIDANCE Istanbul



naturapark meram

NATURA PARK MERAM Konya



ALİ KEMAL GÜRDAL

A GARDENYA RESIDENCE Antalya





FAIRMONT RESIDANCE Russia





ARTAS ATA RESIDENCES Istanbul



mesken

MESA CINARKOY Istanbul



mesken

MESA URLA Istanbul





MESA BODRUM Bodrum





DORUK BEYTEPE Ankara



ARMANI / CASA MOSCOW RESIDENCES

ARMANI RESIDENCE Russia

FJ TOWER Qatar



HOTEL REFERENCES







AUTOGRAPH COLLECTION* **AUTOGRAPH COLLECTION** MARRIOTT Istanbul



Marriott HOTELS · RESORTS · SUITES

MARRIOTT SIRKECI HOTEL İstanbul



MG PHASELIS/BAY

NG PHASELIS BAY HOTEL Antalya



MILLENNIUM

MILLENIUM WEST HOTEL Istanbul





THE OBA HOTEL Bodrum



Radisson

RADISSON HOTEL Izmir





RADISSON BLUE HOTEL India





MABIN HURA MALDIVES Maldives





RIXOS PREMIUM DUBAİ UAE





GRAND HOTEL Niger



TFF Türkiye Futbol Federasyonu Turkish Football Federation





NAU HOTEL Portugal



GRAND GALATA HOTEL

GRAND GALATA HOTEL Istanbul



KARÛVAN SARAY KARAVANSARAY COMPLEX

Kazakhistan



GURDAL HOTEL Istanbul

HOTEL REFERENCES



KEMPINSKI DOME BELEK Antalya



BARUT BARUT AKRA SORGUN Antalya



DEDEMAN HOTEL

Eskisehir







RIXOS TEKIROVA Antalya



Sheraton SHERATON HOTEL BATUM

Batum



DOLCE BY WYNDHAM Ankara



CROWNE PLAZA° HOTELS & RESORTS

CROWNE PLAZA ORYAPARK Istanbul



Melden

MELDEN HOTEL Mugla





WASHINGTON HOTEL Antalya





HAMPTON BY HILTON SIRKECI Istanbul



Rocks

ROCKS HOTEL Cyprus





ALMINA HOTEL Bursa



INEMĂRE İĞNEADA

INEMARE HOTEL Kırklareli



5 3

SHUSHA HOTEL Azerbaijan





DEMONTI HOTEL Ankara





TIERRA MAR HOTEL Antalya

HOTEL REFERENCES



RIXOS PREMIUM BODRUM





HILTON SIRKECI HOTEL Istanbul





FASQ HOTEL Mauritania





CIELO HOTEL Qatar





BENIN SOFITEL HOTEL Benin



MÖVENPICK HOTEL & APARTMENTS BUR DUBAI







ST REGIS HOTEL Oman



Retana

ROTANA HOTEL UAE





EMILY RESORT Lviv





OYAK DRAGOS Istanbul



CONDOR HOTEL

CONDOR HOTEL Romania





SHERATON HOTEL Senegal



PEARL MARRAKECH HOTEL Marrakech



PESTANA

PESTANA HOTEL Casablanca





CROWNE PLAZA Tachikistan





KATE HOTEL SPECIAL CLASS Istanbul

AIRPORT REFERENCES



Istanbul Airport THY ISTANBUL AIRPORT Istanbul











Istanbul Airport ISTANBUL AIRPORT EAST

Istanbul Airport ISTANBUL AIRPORT

Istanbul Airport

AIRLINES



BLOCK Istanbul

OPERATIONS CENTER Istanbul

ISTANBUL AIRPORT MOSQUE Istanbul

TURKISH TECHNIC Istanbul

THY SIMULATION BUILDING Istanbul











TURKISH AIRLINES

ISTANBUL AIRPORT SOLID

WASTE CENTER

Istanbul

SABIHA GOKCEN AIRPORT Istanbul

ISG



RIZE/ARTVIN AIRPORT

RIZE/ARTVIN TOWER Rize

KAYSERI AIRPORT Kayseri













ANTALYA AIRPORT ANTALYA AIRPORT CARGO DIRECTORE Antalya





ANTALYA AIRPORT CARPARK Antalya



TOKAT AIRPORT Tokat



7th MAIN JET BASE COMMAND Malatya

Antalya

HOSPITAL **REFERENCES**





LUTFI KIRDAR TRAINING AND RESEARCH HOSPITAL Istanbul



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH

SANLIURFA CEYLANPINAR **PUBLIC HOSPITAL** Sanliurfa



UŞAK PUBLIC HOSPITAL



SIVAS CUMHURIYET UNIVERSITY HOSPITAL



KUTAHYA CITY HOSPITAL Kutahya



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH OKMEYDANI TRAINING AND RESEARCH HOSPITAL Istanbul



MALATYA MATERNITY HOSPITAL Malatya



GAZIANTEP MATERNITY HOSPITAL

Ankara



KIRKLARELI LULEBURGAZ PUBLIC HOSPITAL

Kırklareli



BARTIN PUBLIC HOSPITAL Bartin



OSMANIYE PUBLIC HOSPITAL Osmaniye



MALATYA BATTALGAZI PUBLIC HOSPITAL Malatya



ZONGULDAK TOKI PUBLIC HOSPITAL Zonguldak



AKSARAY PUBLIC HOSPITAL Aksaray




ORDU CITY HOSPITAL Ordu



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH ADIYAMAN MATERNITY HOSPITAL Adiyaman

HOSPITAL REFERENCES





MALATYA ONCOLOGY HOSPITAL Malatya



ANKARA GOLBASI PUBLIC HOSPITAL Sanliurfa



BUNYAN PUBLIC HOSPITAL Kayseri



GIRESUN KALE PUBLIC HOSPITAL



K.MARAS PAZARCIK PUBLIC HOSPITAL



KILIS MERKEZ PUBLIC

HOSPITAL

Kilis





MERSIN TARSUS PUBLIC HOSPITAL Mersin



HATAY DORTYOL PUBLIC HOSPITAL Hatay



TEKIRDAG CITY HOSPITAL Tekirdağ



AGRI PUBLIC HOSPITAL Ağrı



ERZURUM CITY HOSPITAL Erzurum





NIGDE PUBLIC HOSPITAL Nigde



ACIBADEM

ACIBADEM HOSPITAL Adana



ACIBADEM

ACIBADEM HOSPITAL Istanbul



ACIBADEM

ACIBADEM HOSPITAL Izmir





SAMSUN CITY HOSPITAL Samsun

GOVERMENT REFERENCES





SIVAS GOVERNORSHIP Sivas





USKUDAR MUNICIPALITY Istanbul





TURKISH FOOTBALL **FEDERATION** Istanbul





TURKISH PUBLIC RAILWAYS Ankara





SUPREME ELECTION BOARD Ankara





SINCAN LAND REGISTRY

AND CADASTRE BUILDING





BURSA REGIONAL COURT OF JUSTIC**E** Bursa





HAVELSAN Ankara




ETIMADEN

ETIMADEN

Ankara



DULKADIROGLU MUNICIPALITY Kahramanmaraş





DUDULLU BOSTANCI TUNNELS Istanbul





TURKIYE REPUBLIC DIRECTORATE OF COMMUNICATIONS









BORSA ISTANBUL DATA CENTER Istanbul





BAKIRKOY MUNICIPALITY Istanbul





BAKIRKOY GOVERNMENT BUILDING Istanbul

GOVERMENT REFERENCES



AFAD

AFAD BUILDING Ankara









AFA

DISASTER and EMERGENCY DISASTER and EMERGENCY **MANAGEMENT CENTER** Kahramanmaras

AFAD

DISASTER and EMERGENCY MANAGEMENT CENTER

MANAGEMENT CENTER Frzincan



DISASTER and EMERGENCY MANAGEMENT CENTER Rize

Kahramanmaras

DISASTER and EMERGENCY MANAGEMENT CENTER Kastamonu











PRESIDENCY AHLAT COMPLEX

Bitlis



ALANYA COURTHOUSE

TÜRKİYE CUMHURİYET MERKEZ BANKASI

BURSA REGIONAL COURT OF JUSTIC**E** Bursa



ANTALYA CENTRAL BANK Antalya

ERDEMLI COURTHOUSE Mersin















ÇANAKKALE BELEDİYESİ



HOUSE

Adiyaman

GUNGOREN MUNICIPALITY BUILDING Istanbul







SHOPPING MALL REFERENCES





NATA VEGA SUBAYEVLERI Ankara















LC WAIKIKI STORE

Istanbul



Istanbul

IZMIR KARSIYAKA SHOPPING MALL Izmir

nevçarşı

USKUDAR NEV SHOPPING MALL İstanbul

SPORT FACILITY **REFERENCES**





SENEGAL NATIONAL STADIUM Senegal





KARABUK SPORT CENTER Karabuk





ANTALYA CLOSED SPORT **ARENA** Antalya





RIVA GOLF CLUB Istanbul





SCHOOL REFERENCES





ALTINBAS UNIVERSITY Istanbul









—ÖZYEĞİN— UNIVERSITY—





NATIONAL DEFENSE UNIVERSITY Istanbul



Eskisehir

USKUDAR UNIVERSITY FACULTY OF DENTISTRY Istanbul



OZYEGIN UNIVERSITY Istanbul



NECMETTIN ERBAKAN UNIVERSITY Konya















MARMARA UNIVERSITY **EDUCATION LABORATORY** İstanbul



GEBZE UNIVERSITY Istanbul



ERCIYES UNIVERSITY Kayseri



NESIBE AYDIN OKULLARI Ankara



LAND FORCES LANGUAGE SCHOOL Ankara





NUN SCHOOLS İstanbul





GONDAR UNIVERSITY Ethiopia





MEDENIYET UNIVERSITY LIBRARY & B BLOCK Istanbul





MEV BORNOVA COLLEGE Izmir





ORD.PROF.DR. SULHİ DONMEZER EDUCATION CENTER

Istanbu

FACTORY REFERENCES





YATAS FACTORY Ankara











FUNF

TürkTraktör

SIŞECAM

process plise

UNF MACHINE Ankara

TURK TRACTOR Sakarya

SISECAM FACTORY Sinop

REPKON FACTORY Istanbul

PROCESS ALIMINIUM Konya





modern







Lazer makina metal sanayi ve tic. a.ş

roketsan

Mercedes-Benz **FACTORY** Aksaray

FORD OTOSAN

NUKON TEKNOSAB FACTORY Bursa



ROKETSAN Ankara

MERCEDES BENZ TURKEY

FORD OTOSAN FACTORY Kocaeli















BOSCH FACTORY Bursa



PHILIP MORRIS FACTORY Kazakhistan Kocaeli



KORDSA FACTORY



UNIPRESS UK

OFFICE REFERENCES





YDA MARMARA TOWER Istanbul





TORUNLAR GYO İstanbul



teknopark istanbul

YEDITEPE TECHNOPARK

Istanbul



TV100 GENERAL CENTER Istanbul





TUPRAS BUILDING Istanbul



TORUN

TORUN CENTER OFFICE Istanbul





SABANCI BUSINESS

TOWERS

Istanbul





HUAWEI GENERAL CENTER Istanbul





OMSK CARBON OFFICE Russia





Istanbul





FORD OTOSAN FACTORY Kocaeli



McKinsey & Company

MC KINSEY TOWER Baku





MARMARA ANATOLIUM **TOWER** Istanbul





IS GYO ANKARA TOWER Ankara









MELAL TOWER Iraq

OFFICE REFERENCES





ISTANBUL FINANCIAL CENTER BDDK BUILDING





ISTANBUL FINANCIAL CENTER HALK BANK GYO Istanbul



ISTANBUL FINANCIAL CENTER 1-13 RECREATION Istanbul





ISTANBUL FINANCIAL CENTER SPECIAL PROJECT AREA Istanbul





ISTANBUL FINANCIAL CENTER SIGORTA A.S. Istanbul





BORSA ISTANBUL Istanbul





TURKCELL DATA CENTER Ankara- Corlu-Gebze





KALYON HOLDING GENERAL CENTER Istanbul





KHOSHNAW TOWER Iraq





TECHNOPARK A BLOCK Istanbul





NOKIA OFFICE Istanbul





IZMIR GAS BUILDING Izmir



Kalyon

BALANCE GUNESLI Istanbul





LOTUS OFFICE Bursa





BORSA ISTANBUL DATA CENTER Istanbul





ANDAC AUTOMOTIVE Izmir

OFFICE REFERENCES





Qatar













SAFIPORT



Ptt



YALOVA RO-RO PORT Yalova

SAFIPORT Kocaeli



PTT INTERNATIONAL CARGO PROCESSING CENTER Istanbul

EKOL LOGISTIC Kocaeli





VitrA®







VITRA WAREHOUSE

File

ABDIIBRAHIM

MIGROS WAREHOUSE Ankara

Bilecik



FILE WAREHOUSE Istanbul

ABDI IBRAHIM Istanbul













MEDLOG LOGISTIC

MEDLOG



Istanbul

FY LOGISTIC Istanbul



DOGA LOGISTIC Istanbul



Izmir



The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology assumes no responsibility for any errors that may appear in this document.

> 2024 © EAE Technology All rights reserved





Ikitelli Organize Sanayi Bölgesi Eski Turgut Ozal Caddesi No:20 Başaksehir / Istanbul - TURKEY Tel.: +90 212 413 21 00 (pbx) Fax: +90 212 549 37 90

www.eaetechnology.com







The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology does not accept any responsibility for out-of-date information

that may appear in this document, due to the catalog version number

2024 © EAE Technology - All rights reserved SHRS - 202406 - 5003668 - V1.0